

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period \$1 and sustain\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 14:53
L2	19	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period \$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 and discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 14:54
L3	3	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period \$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 14:55
L4	0	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period \$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1 and slope\$6 same ris\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:14

L5	0	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period\$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1 and reset\$6 same slope\$6 same ris\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:14
L6	123	(plasma same display same panel\$6 or PDP)and reset\$6 same slope\$6 same ris\$6 same voltage\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:15
L7	76	(plasma same display same panel\$6 or PDP)and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and slop\$6 same fall\$6 same voltage\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:15
L8	0	(plasma same display same panel\$6 or PDP)and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and slop\$6 same fall\$6 same voltage\$1) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:16
L9	11	(plasma same display same panel\$6 or PDP)and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and slop\$6 same fall\$6 same voltage\$1) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 same follow\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:16
L10	11	(plasma same display same panel\$6 or PDP) and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and slop\$6 same fall\$6 same voltage\$1) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 same follow\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:19

L11	11	(plasma same display\$6 same panel\$6 or PDP) and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and slop\$6 same fall\$6 same voltage\$1) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 same follow\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:19
L12	12	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period\$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:37
L13	37	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period\$1 and sustain\$6 same period\$1 and discharge\$6 same cell\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:41
L14	0	(plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period\$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1 and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and fall\$6 same slope\$6 same voltage\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:43
L15	3	"10274955"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:52

L16	73501	"10274955" (plasma same display same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:52
L17	2	"10274955" and (plasma same display same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:52
L18	0	"10274955" and (plasma same display same panel\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:53
L19	0	"10319901" and (plasma same display same panel\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:53
L20	2	"10319901" and (plasma same display same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:53
L21	0	"10319901" and (plasma same display same panel\$6 or PDP) and first same reset\$6 same period\$1 and second same reset\$6 same period\$1 and immediately same follow\$6 and address\$6 same period\$1 and sustain\$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1 and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and fall\$6 same slope\$6 same voltage\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:53
L22	1	"11133913" and (plasma same display same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:54
L23	0	"11133913" and (plasma same display same panel\$6 or PDP) and rest\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:54

L24	0	"2000214822" and (plasma same display same panel\$6 or PDP) and rest\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:55
L25	0	"2000214822" and (plasma same display same panel\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:55
L26	3	"2000214822"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:55
L27	0	"2000214822" and (plasma same display\$6 same panel \$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:55
L28	2	"2000214822" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:55
L29	0	"2000214822" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 15:56
L30	0	"2001013910" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:12
L31	2	"2001013910" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:12
L32	0	"2001013910" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:13
L33	0	"2001013910" and (plasma same display\$6 or PDP) and erase\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:13

L34	0	"2002082650" and (plasma same display\$6 or PDP) and erase\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:13
L35	2	"2002082650" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:13
L36	0	"2002082650" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:14
L37	2	"2003015600" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:14
L38	0	"2003015600" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:14
L39	1	"07175438" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:44
L40	0	"07175438" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:44
L41	4	"2003084712" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:46
L42	0	"2003084712" and (plasma same display\$6 or PDP) and reset\$6 and first same reset \$6 same period\$1 and second same reset\$6 same period\$1 and address\$6 same period\$1 and sustain \$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1 and reset\$6 same (slope\$6 same ris\$6 same voltage\$1 and fall\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:47

		same slope\$6 same voltage \$1)				
L43	0	"2003084712" and (plasma same display\$6 or PDP) and reset\$6 and first same reset \$6 same period\$1 and second same reset\$6 same period\$1 and address\$6 same period\$1 and sustain \$6 same period\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:47
L44	0	"2003084712" and (plasma same display\$6 or PDP) and reset\$6 and first same reset \$6 same period\$1 and second same reset\$6 same period\$1 and address\$6 same period\$1 and sustain \$6 same period\$1 and reset \$6 same (slope\$6 same ris \$6 same voltage\$1 and fall \$6 same slope\$6 same voltage\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:48
L45	0	"2003084712" and (plasma same display\$6 or PDP) and reset\$6 and first same reset \$6 same period\$1 and second same reset\$6 same period\$1 and address\$6 same period\$1 and sustain \$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:48
L46	0	"2000259117" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:49
L47	1	"07160218" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:50
L48	0	"07160218" and (plasma same display\$6 or PDP) and reset\$6 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:50

L49	0	"10143108" and (plasma same display\$6 or PDP) and reset\$6 and set\$6 same plural\$6 same discharge\$6 same cell\$1 same first same reset\$6 same period\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:51
L50	2	"10143108" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:51
L51	0	"11133913" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:58
L52	0	"2000214822" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 16:59
L53	0	"2001013910" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:00
L54	2	"2001013910" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:01
L55	2	"2002082650" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:01
L56	2	"2003015600" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:02
L57	0	"2003015600" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:02
L58	0	"2002082650" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:02



L59	0	"10319901" and (plasma same display\$6 or PDP) and reset\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:03
L60	2	"10319901" and (plasma same display\$6 or PDP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/22 17:03

3/22/2008 5:13:15 PM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\10796597.wsp